


BERRIA BIKES 2023 COLLECTION

BERRIA

RETAIL
WORKBOOK
2023

23
**NEVER
STOP
CYCLING**



2023 BIKES

BERRIN
BELADOR
ALL ROAD


GRAVEL

2023 BIKES/ GRAVEL

BERRIA
BELADOR
ALL ROAD

Unlimited enjoyment
on all terrains





The Belador Allroad frame can fit two water bottles of different sizes.

Belador Allroad offers the possibility of mounting luggage directly on to the frame to comfortably enjoy your routes.



Elegant design concept, fully integrates all the wiring and allows the possibility of mounting a dropping seatpost.

BELADOR

ALLROAD

The exclusive Gravel AF2 handlebar allows greater on-route comfort and added stability when facing rough terrains.





Type 1-2 Gravel

Versatile on and off-road.

Agile and compact geometry.

Forest roads and trails.

Medium technical level.

Adventure and gravel competitions.



Type 3 Gravel

Devourer of all kinds of roads.


The front suspension fork with 30 mm of travel amplifies its capabilities in the most technical terrain.

Hard and rocky terrain or extreme mud.

High technical level.

Extreme Gravel routes.

A L L R O A D



Operation of the rear suspension system of the

BELADOR ALL ROAD

1. Rigid lower sheath that guarantees support and optimum performance in the transformation of energy into speed.
2. Part between lower chainstay and wheel axle that provides initial stiffness to guarantee performance and reactivity to the bicycle, at the same time it has a controlled flexion against medium and high intensity impacts.
3. Upper flexible brace that cushions and stabilizes the rear carriage from stresses generated by impacts.
4. Bearing top stay attachment to the frame allows the top stay to oscillate without resistance, increasing its damping capacity and developing a total suspension travel of 26 mm.
5. The $\varnothing 27.2$ mm flexible seatpost allows to complete and amplify the good damping job of the rear suspension system.

The design of the rear carriage allows the mounting of double chainring ideal for a Gravel type 1/2 and at the same time allows the mounting of a maximum tire section of 700x44 / 650x47 gravel type 3.



Versatile on and off the road. Fast and Capable. It devours all kinds of roads. These are some of the features that make the Belador Allroad a vehicle for adventure or pleasure. Everyday of the year.

2023 BIKES/ **GRAVEL**

BERRIA
BELADOR
ALLROAD

HP

6-LTD

FRAME WEIGHT

1750 GR

1060 GR

SIZES

XS S M L XL

XS S M L XL

CONSTRUCTION
RESIN
CARBON







ALUMINIUM
6061

TRIPLE MONOCOQUE
CNT NANOTECH
HM2X



GRAVEL

-  Belador Hybrid full carbon fork, internal cable system ICS2, 1-1/8" - 1-1/2" Tapered head tube compatible, Flat Mount System brake, 700x36 maximum tyre, Thru axle 12x100mm, weight 470g
-  Avanforce Gravel Alloy 6061 /400, 420, 440mm
-  Avanforce ICS2, -7°, Ø31,8, 90-100-110-120mm
-  Avanforce, 27,2 x 350mm
-  Selle Italia MODEL X BB FEC, Alloy rails, wide 143mm
-  SHIMANO GRX FD-RX400
-  SHIMANO GRX RD-RX400 20 Speed
Patilla: UDH Universal Derailleur Hanger
-  SHIMANO GRX ST-RX400 Disc 20 Speed

-  SHIMANO CS-HG50 11-36 10V
-  SHIMANO CN-HG54 116E
-  ROTOR Vegast TDS OCP, 46x30T 170-172,5-175mm
-  SHIMANO BR-RX400 Hyd Disc 160/F and 160/R SM-RT70 CL rotor
-  Vittoria Terreno Dry 38C, TNT, 120 TPI, weight 698g
-  OP1 Fulcrum Rapid Red 900 , alloy, Rim 22 mm 1950g

Belador HP Hybrid, Endurance Geometry BGC, Aluminum 3BS 6061 Hydroforming, Full internal cable system ICS2, Headset semi integrated OH2S 1-1/2", Flat Mount System brake, 700x36 maximum tyre, Thru axle 12x142mm, weight 2600g

2023 BIKES/ GRAVEL

BERRIA
BELADOR
ALL ROAD

HP

Belador HP Hybrid, Endurance Geometry BGC, Aluminum 3BS 6061 Hydroforming, Full internal cable system ICS2, Headset semi integrated OH2S 1-1/2", Flat Mount System brake, 700x36 maximum tyre, Thru axle 12x142mm, weight 2600g



GEOMETRÍA/

	XS	S	M	L	XL
	154-165 CM	165-176 CM	176-185 CM	185-192 CM	+192 CM
CRANKSET	170	170	172,5	172,5	175
STEM	80	90	100	110	120
HANDLEBAR	400	420	420	420	440
	XS	S	M	L	XL
SEAT POST	460	484	508	532	556
TOP TUBE	525	540	555	575	595
FRONT TUBE	98*	113*	129*	146*	164*
CHAIN STAY	419	419	419	419	419
BOTTOM BRACKET	75	75	75	75	75
WHEELBASE	1000/1006	1015/1021	1028/1034	1038/1044	1050/1056
FRONT ANGLE	70	70,5	71	71,5	72
SEAT TUBE ANGLE	75,1	74,8	74,5	74,2	73,9
REACH	374	388	398	407	418
STACK	535	550	567	587	605

*Debido a su especial horquilla Gravel y a la predisposición del cuadro en montar una horquilla telescópica con recorrido de 30mm para una comparación adecuada de la altura del frontal de dirección de la Belador AllRoad añada 26mm con respecto a las medidas comparativas de la versión Belador Road.



Belador Allroad full carbon fork, Rake adjusting Flip Chip 45-51mm, Post mounted brake adjusting according to rake, internal cable system ICS2, 1-1/8" - 1-1/2" Tapered head tube compatible, 700x36 maximum tyre,



Avanforce Gravel Alloy 6061 /400, 420, 440mm



Avanforce ICS2, -7°, Ø31,8, 90-100-110-120mm



Avanforce Carbon 20 offset, 27,2 x 350mm



Selle Italia MODEL X BB FEC, Alloy rails, wide 143mm



SHIMANO GRX FD-RX810-F



SHIMANO GRX RD-RX810 22 Speed
Patilla: UDH Universal Derailleur Hanger



SHIMANO GRX ST-RX800 Disc 22 Speed



SHIMANO CS ULTEGRA 11-34



SHIMANO CN-HG601-11



ROTOR Vegast TDS OCP, 40, 170-172,5-175mm



SHIMANO BR-RX810 Hyd Disc 160/F and 160/R SM-RT800 CL rotor



Vittoria Terreno Dry 38C, TNT, 120 TPI, weight 698g



OP1

Fulcrum Rapid Red 900 , alloy, Rim 22 mm 1950g

2023 BIKES/ GRAVEL

BERRIA
BELADOR
ALLROAD

6

Belador ALLROAD, Geometry BGC, Rear progressive suspension 26mm, Full carbon HM2X, Triple monocoque, Resin Matrix Nanotech, BB86 bottom bracket, Full internal cable system ICS2, Headset semi integrated OH2S 1-1/2"- 1-1/2", Flat Mount System brake, 700x44 / 650x47 maximum tyre, Telescopic seat post ready, Thru axle 12x142mm, weight 1060g



GEOMETRÍA/

	XS	S	M	L	XL
	154-165 CM	165-176 CM	176-185 CM	185-192 CM	+192 CM
CRANKSET	170	170	172,5	172,5	175
STEM	80	90	100	110	120
HANDLEBAR	400	420	420	420	440
	XS	S	M	L	XL
SEAT POST	460	484	508	532	556
TOP TUBE	525	540	555	575	595
FRONT TUBE	98*	113*	129*	146*	164*
CHAIN STAY	419	419	419	419	419
BOTTOM BRACKET	75	75	75	75	75
WHEELBASE	1000/1006	1015/1021	1028/1034	1038/1044	1050/1056
FRONT ANGLE	70	70,5	71	71,5	72
SEAT TUBE ANGLE	75,1	74,8	74,5	74,2	73,9
REACH	374	388	398	407	418
STACK	535	550	567	587	605

*Debido a su especial horquilla Gravel y a la predisposición del cuadro en montar una horquilla telescópica con recorrido de 30mm para una comparación adecuada de la altura del frontal de dirección de la Belador AllRoad añada 26mm con respecto a las medidas comparativas de la versión Belador Road.

BERRIA BIKES 2023 COLLECTION



Belador Allroad full carbon fork, Rake adjusting Flip Chip 45-51mm, Post mounted brake adjusting according to rake, internal cable system ICS2, 1-1/8" - 1-1/2" Tapered head tube compatible, 700x36 maximum tyre,



Avanforce UD Carbon, wide 400, 420, 440mm



Avanforce ICS2, -7°, Ø31,8, 90-100-110-120mm



Avanforce Carbon 20 offset, 27,2 x 350mm



Selle Italia MODEL X BB FEC, Alloy rails, wide 143mm



Campagnolo EKAR 1x13
Patilla: UDH Universal Derailleur Hanger



Campagnolo EKAR 1x13



Campagnolo EKAR 13-speed, 9-42T



Campagnolo EKAR 13-speed, 118



ROTOR Vegast TDS OCP, 40, 170-172,5-175mm



Campagnolo EKAR hydraulic disc w/ 160mm Campagnolo rotor



Vittoria Terreno Dry 38C, TNT, 120 TPI, weight 698g



OP1

Fulcrum Rapid Red 900 , alloy, Rim 22 mm 1950g

2023 BIKES/ GRAVEL

BERRIA
BELADOR
ALLROAD

7

Belador ALLROAD, Geometry BGC, Rear progressive suspension 26mm, Full carbon HM2X, Triple monocoque, Resin Matrix Nanotech, BB86 bottom bracket, Full internal cable system ICS2, Headset semi integrated OH2S 1-1/2"- 1-1/2", Flat Mount System brake, 700x44 / 650x47 maximum tyre, Telescopic seat post ready, Thru axle 12x142mm, weight 1060g



GEOMETRÍA/

	XS	S	M	L	XL
	154-165 CM	165-176 CM	176-185 CM	185-192 CM	+192 CM
CRANKSET	170	170	172,5	172,5	175
STEM	80	90	100	110	120
HANDLEBAR	400	420	420	420	440
SEAT POST	460	484	508	532	556
TOP TUBE	525	540	555	575	595
FRONT TUBE	98*	113*	129*	146*	164*
CHAIN STAY	419	419	419	419	419
BOTTOM BRACKET	75	75	75	75	75
WHEELBASE	1000/1006	1015/1021	1028/1034	1038/1044	1050/1056
FRONT ANGLE	70	70,5	71	71,5	72
SEAT TUBE ANGLE	75,1	74,8	74,5	74,2	73,9
REACH	374	388	398	407	418
STACK	535	550	567	587	605

*Debido a su especial horquilla Gravel y a la predisposición del cuadro en montar una horquilla telescópica con recorrido de 30mm para una comparación adecuada de la altura del frontal de dirección de la Belador AllRoad añada 26mm con respecto a las medidas comparativas de la versión Belador Road.

BERRIA BIKES 2023 COLLECTION



Belador Allroad full carbon fork, Rake adjusting Flip Chip 45-51mm, Post mounted brake adjusting according to rake, internal cable system ICS2, 1-1/8" - 1-1/2" Tapered head tube compatible, 700x36 maximum tyre,



Avanforce UD Carbon, wide 400, 420, 440mm



Avanforce ICS2, -7°, Ø31,8, 90-100-110-120mm



Avanforce Carbon 20 offset, 27,2 x 350mm



Selle Italia MODEL X BB FEC, Alloy rails, wide 143mm



SRAM RIVAL XPLR ETAP AXS D1 MAX 44T Electronic Shift System
Patilla: UDH Universal Derailleur Hanger



SRAM RIVAL eTap AXS HRD Shift-Brake System Electronic Shift System



SRAM RIVAL XPLR XG1251, 10-44



SRAM RIVAL CN-RIV-D1



SRAM RIVAL 1 DUB WIDE Crankset 40 T, 170-172,5-175mm



SRAM RIVAL eTap AXS HRD Shift-Brake System Flatmount 160/F and



Vittoria Terreno Dry 38C, TNT, 120 TPI, weight 698g



OP1

Fulcrum Rapid Red 900 , alloy, Rim 22 mm 1950g



OP2

Zipp 303 S, Carbon, TLR, 45 - 23mm, 1530 g

2023 BIKES/ GRAVEL

BERRIA
BELADOR
ALLROAD

8

Belador ALLROAD, Geometry BGC, Rear progressive suspension 26mm, Full carbon HM2X, Triple monocoque, Resin Matrix Nanotech, BB86 bottom bracket, Full internal cable system ICS2, Headset semi integrated OH2S 1-1/2" - 1-1/2", Flat Mount System brake, 700x44 / 650x47 maximum tyre, Telescopic seat post ready, Thru axle 12x142mm, weight 1060g



GEOMETRÍA/

	XS	S	M	L	XL
	154-165 CM	165-176 CM	176-185 CM	185-192 CM	+192 CM
CRANKSET	170	170	172,5	172,5	175
STEM	80	90	100	110	120
HANDLEBAR	400	420	420	420	440
SEAT POST	460	484	508	532	556
TOP TUBE	525	540	555	575	595
FRONT TUBE	98*	113*	129*	146*	164*
CHAIN STAY	419	419	419	419	419
BOTTOM BRACKET	75	75	75	75	75
WHEELBASE	1000/1006	1015/1021	1028/1034	1038/1044	1050/1056
FRONT ANGLE	70	70,5	71	71,5	72
SEAT TUBE ANGLE	75,1	74,8	74,5	74,2	73,9
REACH	374	388	398	407	418
STACK	535	550	567	587	605

*Debido a su especial horquilla Gravel y a la predisposición del cuadro en montar una horquilla telescópica con recorrido de 30mm para una comparación adecuada de la altura del frontal de dirección de la Belador AllRoad añada 26mm con respecto a las medidas comparativas de la versión Belador Road.

BERRIA BIKES 2023 COLLECTION



Rock Shox Rydy ULT 700, Damper Type Charger Race Day, Rake 51mm, 30mm travel



Avanforce UD Carbon, wide 400, 420, 440mm



Avanforce ICS2, -7°, Ø31,8, 90-100-110-120mm



SRAM REVERB AXS XPLR, 0 offset, 27,2 x 350mm, weight 549g, 50mm



Selle Italia MODEL X BB FEC, Alloy rails, wide 143mm



SRAM RIVAL XPLR ETAP AXS D1 MAX 44T Electronic Shift System
Patilla: UDH Universal Derailleur Hanger



SRAM RIVAL eTap AXS HRD Shift-Brake System Electronic Shift System



SRAM RIVAL XPLR XG1251, 10-44



SRAM RIVAL CN-RIV-D1



SRAM RIVAL 1 DUB WIDE Crankset 40 T, 170-172,5-175mm



SRAM RIVAL eTap AXS HRD Shift-Brake System Flatmount 160/F and



Vittoria Terreno Dry 38C, TNT, 120 TPI, weight 698g



OP1

Fulcrum Rapid Red 900 , alloy, Rim 22 mm 1950g



OP2

Zipp 303 S, Carbon, TLR, 45 - 23mm, 1530 g

2023 BIKES/ GRAVEL

BERRIA
BELADOR
ALLROAD

LTD

Belador ALLROAD, Geometry BGC, Rear progressive suspension 26mm, Full carbon HM2X, Triple monocoque, Resin Matrix Nanotech, BB86 bottom bracket, Full internal cable system ICS2, Headset semi integrated OH2S 1-1/2" - 1-1/2", Flat Mount System brake, 700x44 / 650x47 maximum tyre, Telescopic seat post ready, Thru axle 12x142mm, weight 1060g



GEOMETRÍA/

	XS	S	M	L	XL
	154-165 CM	165-176 CM	176-185 CM	185-192 CM	+192 CM
CRANKSET	170	170	172,5	172,5	175
STEM	80	90	100	110	120
HANDLEBAR	400	420	420	420	440
	XS	S	M	L	XL
SEAT POST	460	484	508	532	556
TOP TUBE	525	540	555	575	595
FRONT TUBE	98*	113*	129*	146*	164*
CHAIN STAY	419	419	419	419	419
BOTTOM BRACKET	75	75	75	75	75
WHEELBASE	1000/1006	1015/1021	1028/1034	1038/1044	1050/1056
FRONT ANGLE	70	70,5	71	71,5	72
SEAT TUBE ANGLE	75,1	74,8	74,5	74,2	73,9
REACH	374	388	398	407	418
STACK	535	550	567	587	605

*Debido a su especial horquilla Gravel y a la predisposición del cuadro en montar una horquilla telescópica con recorrido de 30mm para una comparación adecuada de la altura del frontal de dirección de la Belador AllRoad añada 26mm con respecto a las medidas comparativas de la versión Belador Road.

BELADOR
ALL ROAD
HP



BELADOR
ALL ROAD
6



BELADOR
ALL ROAD
7



BELADOR
ALL ROAD
8



BELADOR
ALL ROAD
LTD



Belador HP Hybrid - Aluminium EBS 6061

Belador AllRoad - Full Carbon HM2X
Triple monocoque - Matrix Nanotech

Belador AllRoad - Full Carbon HM2X
Triple monocoque - Matrix Nanotech

Belador AllRoad - Full Carbon HM2X
Triple monocoque - Matrix Nanotech

Belador AllRoad - Full Carbon HM2X
Triple monocoque - Matrix Nanotech



Belador Hybrid full carbon

Belador AllRoad Full Carbon

Belador AllRoad Full Carbon

Belador AllRoad Full Carbon

Rock Shox Rudy ULT 700



Avanforce Gravel Alloy

Avanforce Gravel Alloy

Avanforce Gravel Carbon

Avanforce Gravel Carbon

Avanforce Gravel Carbon



Avanforce ICS2

Avanforce ICS2

Avanforce ICS2

Avanforce ICS2

Avanforce ICS2



Avanforce

Avanforce Carbon

Avanforce Carbon

Avanforce Carbon

SRAM REVERB AXS XPLR



Selle Italia MODEL X BB FEC

Selle Italia MODEL X BB FEC

Selle Italia MODEL X BB FEC

Selle Italia MODEL X BB FEC

Selle Italia MODEL X BB FEC



SHIMANO GRX RD-RX400 20 Speed

SHIMANO GRX RD-RX810 22 Speed

Campagnolo EKAR 1x13

SRAM RIVAL XPLR ETAP AXS D1 MAX

SRAM RIVAL XPLR ETAP AXS D1 MAX



SHIMANO GRX FD-RX400

SHIMANO GRX FD-RX810-F



SHIMANO GRX ST-RX400 Disc 20

SHIMANO GRX ST-RX800 Disc 22

Campagnolo EKAR 1x13

SRAM RIVAL eTap AXS HRD Shift-Brake

SRAM RIVAL eTap AXS HRD Shift-Brake



SHIMANO CS-HG50 11-36 10V

SHIMANO CS ULTEGRA 11-34

Campagnolo EKAR 13-speed, 9-42T

SRAM RIVAL XPLR XG1251, 10-44

SRAM RIVAL XPLR XG1251, 10-44



SHIMANO CN-HG54 116E

SHIMANO CN-HG601-11

Campagnolo EKAR 13-speed, 118

SRAM RIVAL CN-RIV-D1

SRAM RIVAL CN-RIV-D1



ROTOR Vegast TDS OCP, 46x30T

ROTOR Vegast TDS OCP, 40,

ROTOR Vegast TDS OCP, 40,

SRAM RIVAL 1 DUB WIDE Crankset 40 T,

SRAM RIVAL 1 DUB WIDE Crankset 40 T,



SHIMANO BR-RX400 Hyd Disc 160/F

SHIMANO BR-RX810 Hyd Disc 160/F and

Campagnolo EKAR hydraulic disc w/

SRAM RIVAL eTap AXS HRD Shift-Brake

SRAM RIVAL eTap AXS HRD Shift-Brake



OP1

Fulcrum Rapid Red 900 , alloy, Rim 22 mm

Fulcrum Rapid Red 900 , alloy, Rim 22 mm

Fulcrum Rapid Red 900 , alloy, Rim 22 mm

Fulcrum Rapid Red 900 , alloy, Rim 22 mm

Fulcrum Rapid Red 900 , alloy, Rim 22 mm



OP2

Zipp 303 S, Carbon, TLR, 45 - 23mm,

Zipp 303 S, Carbon, TLR, 45 - 23mm,



OP3



OP4

BERRIA

Berria Bikes SL
Albacete · Spain

+34 967 378 110
info@berria-racing.com
berria-racing.com